Forest Ecology and Management, 58 (1993) 351–352
Elsevier Science Publishers B.V., Amsterdam

Author Index

Abbott, I., Van Heurck, P., Burbidge, T. and Williams, M.
Damage caused by insects and fungi to eucalypt foliage: spatial and temporal patterns in Mediterranean forest of Western Australia 85
Allen, R.M., *see* Shelburne, V.B. et al.
Aluko, A.P.
Soil properties and nutrient distribution in *Terminalia superba* stands of different age series grown in two soil types of southwestern Nigeria 153
Anderson, D.M.W.
Some factors influencing the demand for gum arabic (*Acacia senegal* (L.) Willd.) and other water-soluble tree exudates 1
Bartelink, H.H., *see* Van Hees, A.F.M. et al.
Birdsey, R.A., Plantinga, A.J. and Heath, L.S.
Past and prospective carbon storage in United States forests 33
Borders, B.E., *see* Da Silva, J.A.A. et al.
Buongiorno, J., *see* Lu, H.-C. et al.
Burbidge, T., *see* Abbott, I. et al.
Burger, J.A., *see* Rathfon, R.A. et al.
Burkhart, H.E., *see* Liu, J. et al.
Butcher, T.B. and Hopkins, E.R.
Realised gains from breeding *Pinus pinaster* 211
Carroll, A.L., Lawlor, M.F. and Quiring, D.T.
Influence of feeding by *Zeiraphera canadensis*, the spruce bud moth, on stem-wood growth of young white spruce 41
Chai, F.Y.C. and LeMay, V.M.
Development and testing of diameter increment models for mixed swamp forests of Sarawak 51
Da Silva, J.A.A., De Melo, M.R.C.S. and Borders, B.E.
A volume equation for mangrove trees in northeast Brazil 129
De Melo, M.R.C.S., *see* Da Silva, J.A.A. et al.
Feret, P.P., *see* Rathfon, R.A. et al.
Harrison, A.F., *see* Stevens, P.A. et al.
Heath, L.S., *see* Birdsey, R.A. et al.
Hedden, R.L., *see* Shelburne, V.B. et al.
Hopkins, E.R., *see* Butcher, T.B. et al.
Hughes, S., *see* Stevens, P.A. et al.
Johnson, J.E., *see* Rathfon, R.A. et al.
Jones, H.E., *see* Stevens, P.A. et al.
Kikuzawa, K.
Self-thinning line and *B*-point line of the yield–density diagram in a young birch stand . 287
Kiwele, P.M., *see* Monela, G.C. et al.
Kreh, R.E., *see* Rathfon, R.A. et al.
Larocque, G.R. and Marshall, P.L.
Evaluating the impact of competition using relative growth rate in red pine (*Pinus resinosa* Ait.) stands 65

Lawlor, M.F., *see* Carroll, A.L. et al.
LeMay, V.M., *see* Chai, F.Y.C. et al.
Liu, J. and Burkhart, H.E.
Dynamics of size-variable distribution parameters in juvenile loblolly pine (*Pinus taeda* L.) stands 321
Lu, H.-C. and Buongiorno, J.
Long- and short-term effects of alternative cutting regimes on economic returns and ecological diversity in mixed-species forests 173
Marshall, P.L., *see* Larocque, G.R. et al.
Miina, J.
Residual variation in diameter growth in a stand of Scots pine and Norway spruce 111
Mize, C., *see* Negreros-Castillo, P. et al.
Monela, G.C., O'Kting'ati, A. and Kiwele, P.M.
Socio-economic aspects of charcoal consumption and environmental consequences along the Dar es Salaam–Morogoro highway, Tanzania 249
Negreros-Castillo, P. and Mize, C.
Effects of partial overstory removal on the natural regeneration of a tropical forest in Quintana Roo, Mexico 259
O'Kting'ati, A., *see* Monela, G.C. et al.
Ola-Adams, B.A.
Effects of spacing on biomass distribution and nutrient content of *Tectona grandis* Linn. f. (teak) and *Terminalia superba* Engl. & Diels. (afara) in south-western Nigeria 299
Plantinga, A.J., *see* Birdsey, R.A. et al.
Quiring, D.T., *see* Carroll, A.L. et al.
Rathfon, R.A., Johnson, J.E., Burger, J.A., Kreh, R.E. and Feret, P.P.
Temporal variation in foliar nutrient concentrations of pitch pine, loblolly pine and the pitch×loblolly hybrid 137
Shelburne, V.B., Hedden, R.L. and Allen, R.M.
The effects of site, stand density, and sapwood permeability on the relationship between leaf area and sapwood area in loblolly pine (*Pinus taeda* L.) 193
Stevens, P.A., Harrison, A.F., Jones, H.E., Williams, T.G. and Hughes, S.
Nitrate leaching from a Sitka spruce plantation and the effect of fertilisation with phosphorus and potassium 233
Tarasiuk, S., *see* Zwieniecki, M. et al.
Van Hees, A.F.M. and Bartelink, H.H.
Needle area relationships of Scots pine in the Netherlands 19
Van Heurck, P., *see* Abbott, I. et al.
Williams, M., *see* Abbott, I. et al.
Williams, T.G., *see* Stevens, P.A. et al.
Zwieniecki, M. and Tarasiuk, S.
Five year vitality changes in an old-growth Scots pine (*Pinus sylvestris*) forest with a mixed and uneven-aged understorey 273

Forest Ecology and Management, 58 (1993) 353–356
Elsevier Science Publishers B.V., Amsterdam

Subject Index

Acacia
Some factors influencing the demand for gum arabic (*Acacia senegal* (L.) Willd.) and other water-soluble tree exudates 1
Betula
Self-thinning line and *B*-point line of the yield–density diagram in a young birch stand . 287
Biomass
Effects of spacing on biomass distribution and nutrient content of *Tectona grandis* Linn. f. (teak) and *Terminalia superba* Engl. & Diels. (afara) in south-western Nigeria 299
Breeding
Realised gains from breeding *Pinus pinaster* 211
Bud moth
Influence of feeding by *Zeiraphera canadensis*, the spruce bud moth, on stem-wood growth of young white spruce 41
Carbon storage
Past and prospective carbon storage in United States forests 33
Charcoal
Socio-economic aspects of charcoal consumption and environmental consequences along the Dar es Salaam–Morogoro highway, Tanzania 249
Competition
Evaluating the impact of competition using relative growth rate in red pine (*Pinus resinosa* Ait.) stands 65
Cutting
Long- and short-term effects of alternative cutting regimes on economic returns and ecological diversity in mixed-species forests 173
Damage
Damage caused by insects and fungi to eucalypt foliage: spatial and temporal patterns in Mediterranean forest of Western Australia 85
Diameter growth
Residual variation in diameter growth in a stand of Scots pine and Norway spruce 111
Diameter increment models
Development and testing of diameter increment models for mixed swamp forests of Sarawak 51
Distribution parameters
Dynamics of size-variable distribution parameters in juvenile loblolly pine (*Pinus taeda* L.) stands 321
Ecological diversity
Long- and short-term effects of alternative cutting regimes on economic returns and ecological diversity in mixed-species forests 173
Economic return
Long- and short-term effects of alternative cutting regimes on economic returns and ecological diversity in mixed-species forests 173

Emissions
Past and prospective carbon storage in United States forests 33
Environment
Socio-economic aspects of charcoal consumption and environmental consequences along the Dar es Salaam–Morogoro highway, Tanzania 249
Eucalyptus
Damage caused by insects and fungi to eucalypt foliage: spatial and temporal patterns in Mediterranean forest of Western Australia 85
Exudates
Some factors influencing the demand for gum arabic (*Acacia senegal* (L.) Willd.) and other water-soluble tree exudates 1
Fertilisation
Nitrate leaching from a Sitka spruce plantation and the effect of fertilisation with phosphorus and potassium 233
Fungi
Damage caused by insects and fungi to eucalypt foliage: spatial and temporal patterns in Mediterranean forest of Western Australia 85
Genetic gains
Realised gains from breeding *Pinus pinaster* 211
Global carbon cycle
Past and prospective carbon storage in United States forests 33
Gum
Some factors influencing the demand for gum arabic (*Acacia senegal* (L.) Willd.) and other water-soluble tree exudates 1
Leaching
Nitrate leaching from a Sitka spruce plantation and the effect of fertilisation with phosphorus and potassium 233
Leaf area
Needle area relationships of Scots pine in the Netherlands 19
The effects of site, stand density, and sapwood permeability on the relationship between leaf area and sapwood area in loblolly pine (*Pinus taeda* L.) 193
Mangrove trees
A volume equation for mangrove trees in northeast Brazil 129
Mixed swamp forests
Development and testing of diameter increment models for mixed swamp forests of Sarawak 51
Mixed-species forests
Long- and short-term effects of alternative cutting regimes on economic returns and ecological diversity in mixed-species forests 173
Needle area
Needle area relationships of Scots pine in the Netherlands 19
Nitrate leaching
Nitrate leaching from a Sitka spruce plantation and the effect of fertilisation with phosphorus and potassium 233
Nutrients
Effects of spacing on biomass distribution and nutrient content of *Tectona grandis* Linn. f. (teak) and *Terminalia superba* Engl. & Diels. (afara) in south-western Nigeria 299
Soil properties and nutrient distribution in *Terminalia superba* stands of different age series grown in two soil types of southwestern Nigeria 153

Temporal variation in foliar nutrient concentrations of pitch pine, loblolly pine and the pitch × loblolly hybrid 137
Overstory removal
Effects of partial overstory removal on the natural regeneration of a tropical forest in Quintana Roo, Mexico 259
Pests
Damage caused by insects and fungi to eucalypt foliage: spatial and temporal patterns in Mediterranean forest of Western Australia 85
Influence of feeding by *Zeiraphera canadensis*, the spruce bud moth, on stem-wood growth of young white spruce 41
Picea
Influence of feeding by *Zeiraphera canadensis*, the spruce bud moth, on stem-wood growth of young white spruce 41
Nitrate leaching from a Sitka spruce plantation and the effect of fertilisation with phosphorous and potassium 233
Residual variation in diameter growth in a stand of Scots pine and Norway spruce 111
Pinus
Dynamics of size-variable distribution parameters in juvenile loblolly pine (*Pinus taeda* L.) stands 321
Evaluating the impact of competition using relative growth rate in red pine (*Pinus resinosa* Ait.) stands 65
Five year vitality changes in an old-growth Scots pine (*Pinus sylvestris*) forest with a mixed and uneven-aged understorey 273
Needle area relationships of Scots pine in the Netherlands 19
Realised gains from breeding *Pinus pinaster* 211
Residual variation in diameter growth in a stand of Scots pine and Norway spruce 111
Temporal variation in foliar nutrient concentrations of pitch pine, loblolly pine and the pitch × loblolly hybrid 137
The effects of site, stand density, and sapwood permeability on the relationship between leaf area and sapwood area in loblolly pine (*Pinus taeda* L.) 193
Regeneration
Effects of partial overstory removal on the natural regeneration of a tropical forest in Quintana Roo, Mexico 259
Relative growth rate
Evaluating the impact of competition using relative growth rate in red pine (*Pinus resinosa* Ait.) stands 65
Residual variation
Residual variation in diameter growth in a stand of Scots pine and Norway spruce 111
Sapwood area
The effects of site, stand density, and sapwood permeability on the relationship between leaf area and sapwood area in loblolly pine (*Pinus taeda* L.) 193
Self-thinning
Self-thinning line and *B*-point line of the yield–density diagram in a young birch stand . 287
Size
Dynamics of size-variable distribution parameters in juvenile loblolly pine (*Pinus taeda* L.) stands 321
Socio-economic study
Socio-economic aspects of charcoal consumption and environmental consequences along the Dar es Salaam–Morogoro highway, Tanzania 249
Soil
Soil properties and nutrient distribution in *Terminalia superba* stands of different age series grown in two soil types of southwestern Nigeria 153

Spacing
Effects of spacing on biomass distribution and nutrient content of *Tectona grandis* Linn. f. (teak) and *Terminalia superba* Engl. & Diels. (afara) in south-western Nigeria 299
Temporal variation
Temporal variation in foliar nutrient concentrations of pitch pine, loblolly pine and the pitch × loblolly hybrid 137
Tropical forest
Effects of partial overstory removal on the natural regeneration of a tropical forest in Quintana Roo, Mexico 259
Understorey
Five year vitality changes in an old-growth Scots pine (*Pinus sylvestris*) forest with a mixed and uneven-aged understorey 273
Vitality changes
Five year vitality changes in an old-growth Scots pine (*Pinus sylvestris*) forest with a mixed and uneven-aged understorey 273
Volume equation
A volume equation for mangrove trees in northeast Brazil 129
Yield–density
Self-thinning line and *B*-point line of the yield–density diagram in a young birch stand . 287